

2015

Spot Drills Catalogue



MAT MARVEL

MAT CAAPTAIN

Index

Description	Page No.
Spot Drill	1
Spot Drill	2
Caulking Guns	3
Caulking Guns	4
Caulking Guns	5
Caulking Guns	6
Grease Guns	7
Grease Guns	8
Air Body Tool	9
Hammers, Scalers	10
Hammers, Scalers	11
Hammers, Scalers	12
Hammers, Scalers	13
Hammers, Scalers	14
Cutting Tools	15
Shears / Nibbler	16
Cutting Tools	17
Cutting Tools	18
Shears / Nibbler	19
Cutting Tools	20
Window Cut - Off Knives & Punches	21
Hammers & Kits	22
Hammer Tools	23
Hammer Tools	24
Hammer Tools	25

Index

Description	Page No.
Hammers, Scalers	26
Chipping Hammers	27
Double Suction Cups & Kits, Other Tools & Accessories	28
Air Blow Guns	29
Accessories	30
Accessories	31
Fittings, Couplers & Plugs	32
Accessories Swivel Plugs	33
Other Tools	34
Spring Baiancer	35
Other Tools & Sand Blaster Gun	36
Wheel Bolt Cleaner Kit	37
Tire Buffers	38
Tire Buffers	39
Tire Buffers	40
Extend Tire Buffers	41
Air Rivet Nut Tool	42
Air Rivet Nut Tool	43
Air Riveter	44
Air Riveters	45
Air Tool Kit	46

Features:

- Low Speed **800 RPM** / High Torque
- **360° Swivel** on The Steady Frame
- **Tungsten Carbide Drill Bit** (Optional)
- Built-in Comfort Grip
- Handle Exhaust
- **Low Noise 84 dB(A)**



► Operation of Spot Drill



► Operation of Spot Drill

MATSM-71-7802K

Spot Drill Kit



MATSM-71-7802

Spot Drill - with Enforced Level



Accessories (Optional):

3-Edge Cutter Tungsten Carbide Drill Bit



#71-780139
ø 10.3 x 47 mm



#71-780140
ø 8.3 x 47 mm



#71-780141
ø 6.3 x 47 mm

► Steps to use Spot Drill



Step 1

Adjust the steady frame position and point drill bit at the metal plate.



Step 2

Push the enforced lever to have drill bit touch the metal plate easily.



Step 3

Push the throttle lever to start and use enforced lever to move the drill bit forward.

MATSM-721K

Spot Weld Drill Kit



MATSM-721

Spot Weld Drill



Specifications:

Model No.	Free Speed (RPM)	Drill Bit Size (mm)	Air Inlet (NPT)	Hose Size ID Inch (mm)	Air Consumption CFM (L/Min)	Length Inch (mm)	Weight Lbs (Kg)	Noise Level dB(A)
MATSM-71-7802	800	ø 6.3 , ø 8.3 , ø 10.3 x 47 (L)	1/4"	3/8 (10)	4 (113)	13-12/16 (349)	5.5 (2.5)	84
MATSM-721	2,000	8mm	1/4"	3/8 (10)	4 (113)	9-7/8 (249)	5.6 (2.5)	84

* Recommended Air Pressure at 90 PSI (6.2 Bar)

Buy Online: www.matshoppy.com

MATGP - 0665

Air Spot Drill



MATGP - 0665S

Air Spot Drill



MATGP - 0668

Air Spot Drill



MATGP - 0668K

Air Spot Drill Kit



Specifications:

Model No.	Free Speed (rpm)	Air Consumption L / min	Air Inlet	Air Pressure	Throat Depth	Drill Dia	Weight (Kg)
MATGP - 0665	1,200	113	1/4"	90 psi (6.2 bar)	-	8 mm	1.64
MATGP - 0665S	800	-	1/4"	90 psi (6.2 bar)	3-1/8"	8 mm	1.45
MATGP - 0668	1,800	113	1/4"	90 psi (6.2 bar)	-	8 mm	2.5

* Recommended Air Pressure at 90 PSI (6.2 Bar)

Buy Online: www.matshoppy.com

MATGP - 0835A - 09 / 11 / 13

Air Caulking Gun (For Cartridge Only)



MATGP - 0864A - 09 / 11 / 13

Air Caulking Gun (For Cartridge Only)



MATGP - 0866B - 09 / 11 / 13 / 15

Air Caulking Gun (For Sachet Only)



MATGP - 0865B - 09 / 11 / 13 / 15

Air Caulking Gun (For Sachet Only)



MATGP - 0880A - 09 / 11 / 13

2 In 1 Air Caulking Gun (For Cartridge & Sachet)



MATGP - 0881A - 09 / 11 / 13

2 In 1 Air Caulking Gun (For Cartridge & Sachet)



Specifications:

Model No.	Alum Tube	Capacity	Working Pressure	Recomm Compressor	Air Consumption	Weight (Kg)
MATGP - 0835A - 13	50.5 x 310 mm L	500 ml (13 oz)	45 ~ 60 psi (3~4 bar)	0.5 HP	0.28 L / Stroke	1.0
MATGP - 0864A - 13	50.5 x 310 mm L	500 ml (13 oz)	45 ~ 60 psi (3~4 bar)	0.5 HP	0.28 L / Stroke	0.9
MATGP - 0866B - 15	50.5 x 385 mm L	Max 800 ml Sachet	45 ~ 60 psi (3~4 bar)	0.5 HP	0.28 L / Stroke	1.15
MATGP - 0865B - 15	50.5 x 385 mm L	Max 800 ml Sachet	45 ~ 60 psi (3~4 bar)	0.5 HP	0.28 L / Stroke	1.05
MATGP - 0880A - 13	50.5 x 335 mm L	500 ml Cartridge, Max 600 ml Sachet	45 ~ 60 psi (3~4 bar)	0.5 HP	0.28 L / Stroke	1.3
MATGP - 0881A - 13	50.5 x 335 mm L	500 ml Cartridge, Max 600 ml Sachet	45 ~ 60 psi (3~4 bar)	0.5 HP	0.28 L / Stroke	1.4

* Recommended Air Pressure at 90 PSI (6.2 Bar)

Buy Online: www.matshoppy.com

MATGP - 0867B - 09 / 11 / 13 / 15

Air Caulking Gun (For Sachet Only)



MATGP - 0868B - 09 / 11 / 13 / 15

Air Caulking Gun (For Sachet Only)



MATGP - 0874B - 09 / 11 / 13 / 15

Air Caulking Gun Double Thread tube
(For Sachet Only)



MATGP - 0873B - 09 / 11 / 13 / 15

Air Caulking Gun Double Thread tube
(For Sachet Only)



MATGP - 0858A - 09 / 11 / 13

2 In 1 Air Caulking Gun (For Cartridge & Sachet)



MATGP - 0869A - 09 / 11 / 13

2 In 1 Air Caulking Gun (For Cartridge & Sachet)



Specifications:

Model No.	Alum Tube	Capacity	Working Pressure	Recomm Compressor	Air Consumption	Weight (Kg)
MATGP - 0867B - 15	50.5 x 385 mm L	Max 800 ml Sachet	45 ~ 60 psi (3~4 bar)	0.5 HP	0.28 L / Stroke	1.4
MATGP - 0868B - 15	50.5 x 385 mm L	Max 800 ml Sachet	45 ~ 60 psi (3~4 bar)	0.5 HP	0.28 L / Stroke	1.5
MATGP - 0874B - 15	50.5 x 385 mm L	Max 800 ml Sachet	45 ~ 60 psi (3~4 bar)	0.5 HP	0.28 L / Stroke	1.15
MATGP - 0873B - 15	50.5 x 385 mm L	Max 800 ml Sachet	45 ~ 60 psi (3~4 bar)	0.5 HP	0.28 L / Stroke	1.5
MATGP - 0858A - 13	50.5 x 335 mm L	500 ml Cartridge, Max 600 ml Sachet	45 ~ 60 psi (3~4 bar)	0.5 HP	0.28 L / Stroke	1.3
MATGP - 0869A - 13	50.5 x 335 mm L	500 ml Cartridge, Max 600 ml Sachet	45 ~ 60 psi (3~4 bar)	0.5 HP	0.28 L / Stroke	1.4

* Recommended Air Pressure at 90 PSI (6.2 Bar)

Buy Online: www.matshoppy.com

MATGP - 0877A - 09 / 11 / 13

Air Sprayer & Air Caulking Gun
(For Cartridge Only)



MATGP - 0861A - 09 / 11 / 13

Air Sprayer & Air Caulking Gun
(For Cartridge Only)



MATGP - 0863B - 09 / 11 / 13 / 15

Air Sprayer & Air Caulking Gun
(For Sachet Only)



MATGP - 0878B - 09 / 11 / 13 / 15

Air Sprayer & Air Caulking Gun
(For Sachet Only)



Specifications:

Model No.	Alum Tube	Capacity	Working Pressure for Caulking Gun	Recomm Compressor	Working Pressure for Sprayer	Weight (Kg)
MATGP - 0877A - 13	50.5 x 310 mm L	500 ml (13 oz)	45 ~ 60 psi (3~4 bar)	1.0 HP	60 ~ 90 psi (4 ~6 bar)	1.3
MATGP - 0861A - 13	50.5 x 310 mm L	500 ml (13 oz)	45 ~ 60 psi (3~4 bar)	1.0 HP	60 ~ 90 psi (4 ~6 bar)	1.4
MATGP - 0863B - 15	50.5 x 385 mm L	Max 800 ml Sachet	45 ~ 60 psi (3~4 bar)	1.0 HP	60 ~ 90 psi (4 ~6 bar)	1.4
MATGP - 0878B - 15	50.5 x 385 mm L	Max 800 ml Sachet	45 ~ 60 psi (3~4 bar)	1.0 HP	60 ~ 90 psi (4 ~6 bar)	1.5

* Recommended Air Pressure at 90 PSI (6.2 Bar)

Buy Online: www.matshoppy.com

MATGP - 0862B - 09 / 11 / 13

3 In 1 Air Sprayer & Caulking Gun



MATGP - 0870B - 09 / 11 / 13

3 In 1 Air Sprayer & Caulking Gun



MATGP - 0875B - 09 / 11 / 13

3 In 1 Air Sprayer & Caulking Gun



MATGP - 0876B - 09 / 11 / 13

3 In 1 Air Sprayer & Caulking Gun



MATGP - 0835N

Air Caulking Gun



MATGP - 0837

Undercoating Gun



Canister Thread : M42 x 6P
Tube Length : 206 mm

Specifications:

Model No.	Alum Tube	Capacity	Working Pressure for Caulking Gun	Working Pressure for Sprayer	Recomm Compressor	Weight (Kg)
MATGP - 0862B - 13	50.5 x 335 mm L	500 ml Cartridge, Max 600 ml Sachet	45 ~ 60 psi (3~4 bar)	60 ~ 90 psi (4~6 bar)	1.0 HP	1.4
MATGP - 0870B - 13	50.5 x 335 mm L	500 ml Cartridge, Max 600 ml Sachet	45 ~ 60 psi (3~4 bar)	60 ~ 90 psi (4~6 bar)	1.0 HP	1.4
MATGP - 0875B - 13	50.5 x 335 mm L	500 ml Cartridge, Max 600 ml Sachet	45 ~ 60 psi (3~4 bar)	60 ~ 90 psi (4~6 bar)	1.0 HP	1.4
MATGP - 0876B - 13	50.5 x 335 mm L	500 ml Cartridge, Max 600 ml Sachet	45 ~ 60 psi (3~4 bar)	60 ~ 90 psi (4~6 bar)	1.0 HP	1.4
MATGP - 0835N	50.5 x 235 mm L	310 ml (9 oz)	45 ~ 60 psi (3~4 bar)	-	0.5 HP	1.6

* Recommended Air Pressure at 90 PSI (6.2 Bar)

Buy Online: www.matshoppy.com

MATGP - 0849A

Air Grease Gun



MATGP - 0843

Air Grease Gun



MATGP - 0879A

Continuous Air Grease Gun



MATT01 - 006

Mini Grease Gun



Specifications:

Model No.	Capacity	Pressure Ratio	Input Pressure	Out Pressure	3 - way Loading	Weight (Kg)
MATGP - 0849A	400 ml (14 oz)	40 : 1	40 - 150 psi (2.6 - 10 bar)	3800 psi (253 bar) at 90 psi (6.2 bar)	Bulk, Filler pump or 14 oz cartridge	1.0
MATGP - 0843	400 ml (14 oz)	40 : 1	40 - 150 psi (2.6 - 10 bar)	1600 ~ 6000 psi (106 ~ 400 bar)	Bulk, Filler pump or 14 oz cartridge	1.6
MATGP - 0879A	400 ml (14 oz)	-	40 - 100 psi (2.6 - 6.7 bar)	3800 psi (253 bar) at 90 psi (6.2 bar)	Bulk, Filler pump or 14 oz cartridge	1.2
MATT01 - 006	400 ml (14 oz)	-	-	1,000 psi (66 bar)	-	0.28

* Recommended Air Pressure at 90 PSI (6.2 Bar)

Buy Online: www.matshoppy.com

MATGP - 2673

Air Pump



Out / Stroke : 48 cm²
Length of Pump : 270 x 190 mm

MATGP - 0843K

Air Grease Gun Kit



MATGP - 0872

Continuous Air Grease Gun



MATT01 - 002

Variable Stroke Hand Grease Gun



Specifications:

Model No.	Capacity	Working Pressure	Input Pressure	Out Pressure	3 - way Loading	Weight (Kg)
MATGP - 2673	-	40 psi (2.6 bar) min 150 psi (10 bar) max	-	11.7 L/min at 6.2 bar (90 psi)	-	2.8
MATGP - 0843K	400 ml (14 oz)	-	40 - 150 psi (2.6 - 10 bar)	1600 ~ 6000 psi (106 ~ 400 bar)	Bulk, Filler pump or 14 oz cartridge	1.6
MATGP - 0872	400 ml (14 oz)	-	40 - 100 psi (2.6 - 6.7 bar)	3800 psi (253 bar) at 90 psi (6.2 bar)	Bulk, Filler pump or 14 oz cartridge	1.6
MATT01 - 002	400 ml (14 oz)	8000 psi (533 bar)	-	8,000 psi (533 bar)	-	1.4

* Recommended Air Pressure at 90 PSI (6.2 Bar)

Buy Online: www.matshoppy.com

MATOP - S105

Air body saw



MATOP - S1530

Air shear



MATOP - S7490

Air shear



MATOP - 201

Air nipper tools



MATOP - 202

Air nipper tools



Specifications:

Model No.	Cutting Capacity Thickness	Cutting Capacity Diameter		Air Inlet	Overall Length		Air Consumption		Net Weight	
	Aluminum (mm)	Copper (mm)	Iron (mm)		mm	inch	l/min	cfm	Kg	lb
MATOP - S105	3.0			1/4	235	9.25	127	4.5	0.6	1.32
MATOP - S1530	1.9			1/4	210	8.26	325	11.5	1.26	2.78
MATOP - S7490	2.3			1/4	275	10.83	339	12	1.16	2.56
MATOP - 201		1.0	0.5	1/4	140	5.51	28	1	0.2	1.44
MATOP - 202		1.6	1.0	1/4	160	6.3	28	1	0.25	0.55

MATOP - CP1223

Air engraving pen



MATOP - J288

Air needle scaler



MATOP - 288N

Air needle chipper



Specifications:

Model No.	Blows Per Minute	Air Inlet	Overall Length		Air Consumption		Net Weight	
	B.P.M		mm	inch	l/min	cfm	Kg	lb
MATOP - CP1223	2300	1/4	170	6.69	28	1	0.23	0.5
MATOP - J288	5500	1/4	290	11.41	283	10	1.19	2.62
MATOP - 288N	4800	1/4	235	9.25	283	10	1.21	2.67

* Recommended Air Pressure at 90 PSI (6.2 Bar)

Buy Online: www.matshoppy.com

MATGP - 0315

Air Needle Scaler



MATGP - 0318

Air Flux Chipper



MATGP - 0326

Air Needle Scaler



MATGP - 0327

Air Flux Chipper



MATGP - 0152

Air Scaling Hammer



MATGP - 0153

Air Scaling Hammer



Specifications:

Model No.	Free Speed (bpm)	Stroke	Length	Air Consumption L / min	Air Inlet	Vibration Level	Height	Needle Size	Weight (Kg)
MATGP - 0315	4,000	34 mm	375 mm	400	-	20.7 m/s ²	-	3 x 180 mm x 19 pcs	2.7
MATGP - 0318	4,000	34 mm	375 mm	400	-	2.5 m/s ²	-	-	2.6
MATGP - 0326	3,700	-	375 mm	-	-	-	-	3 x 180 mm x 19 pcs	2.6
MATGP - 0327	2,700	-	375 mm	160	-	-	-	-	2.6
MATGP - 0152	7,200	-	480 mm	-	1/4"	35.1 m/s ²	115 mm	-	2.4
MATGP - 0153	2,800	-	496 mm	-	3/8"	13.3 m/s ²	22.5 mm	-	3.9

* Recommended Air Pressure at 90 PSI (6.2 Bar)

Buy Online: www.matshoppy.com

MATGP - 0102HA

Air Needle Scaler



MATGP - 0214HA

Air Needle Scaler



MATGP - 0329

Air Flux Chipper



MATGP - 0321-3

Air Needle Scaler



Specifications:

Model No.	Free Speed (rpm)	Stroke	Air Consumption L / min	Length	Needle Dia	Weight (Kg)
MATGP - 0102HA	4,500	41 mm	157	-	3 x 180 mm x 19 pcs	-
MATGP - 0214HA	3,000	66 mm	157	-	3 x 180 mm x 19 pcs	-
MATGP - 0329	2,700	-	160	375 mm	-	2.6
MATGP - 0321-3	3,700	-	-	375 mm	3 x 180 mm x 19 pcs	2.6

* Recommended Air Pressure at 90 PSI (6.2 Bar)

Buy Online: www.matshoppy.com

MATGP - 0336

Air Needle Scaler



MATGP - 0335-3

Air Needle Scaler



MATGP - 0324-4

Air Needle Scaler



MATGP - 0319-4

Air Needle Scaler



Specifications:

Model No.	Free Speed (rpm)	Length	Needle Dia	Weight (Kg)
MATGP - 0336	4,000	210 mm	2 x 180 mm x 29 pcs	1.4
MATGP - 0335-3	3,500	348 mm	3 x 180 mm x 23 pcs	2.7
MATGP - 0324-4	2,500	400 mm	4 x 150 mm x 35 pcs	6.0
MATGP - 0319-4	3,500	360 mm	4 x 150 mm x 14 pcs	3.5

* Recommended Air Pressure at 90 PSI (6.2 Bar)

Buy Online: www.matshoppy.com

MATGP - 0143

Air Gasket Scraper



MATGP - 0323D

Air Flux Chipper



MATGP - 0158

Air Sand Rammer



MATGP - 0106

Air Gasket Scraper



Specifications:

Model No.	Free Speed (rpm)	Stroke	Air Consumption L / min	Length	Piston Dia	Weight (Kg)
MGP - 0143	5,500	15 mm	128	-	-	0.8
MGP - 0323D	2,400	38 mm	-	1,820 mm	-	-
MGP - 0158	1,500	70 mm	-	280 mm	18 mm	1.6
MGP - 0106	4,000	40 mm	120	-	-	0.8

* Recommended Air Pressure at 90 PSI (6.2 Bar)

Buy Online: www.matshoppy.com

MATGP - 0328-3

Air Needle Scaler



MATGP - 0330

Air Needle Scaler



MATGP - 0321A

Air Needle Scaler, Vacuum Type



MATGP - 0326A

Air Needle Scaler



MATGP - 0319A

Air Needle Scaler, Vacuum Type



MATG - 100H

Needle Scaler Attachment



MATG - 102



MATG - 104



Specifications:

Model No.	Free Speed	Stroke	Vibration Level	Needle Size	Weight (Kg)
MATGP - 0328-3	3,000 bpm	-	18.6 m/s ²	3 x 180 mm x 28 pcs	4.7
MATGP - 0330	3,000 bpm	71 mm	-	3 x 180 mm x 19 pcs	2.7
MATGP - 0321A	3,700 bpm	-	8.7 m/s ²	3 x 180 mm x 19 pcs	2.8
MATGP - 0326A	3,000 bpm	33 mm	-	3 x 180 mm x 19 pcs	2.7
MATGP - 0319A	3,500 bpm	-	14.6 m/s ²	3 x 180 mm x 28 pcs	4.2

* Recommended Air Pressure at 90 PSI (6.2 Bar)

Buy Online: www.matshoppy.com

MATGP - 0662

Straight Metal Shear



MATGP - 2180

Air Metal Scissor



MATGP - 1420

Metal Shear



MATGP - 2181

Air Metal Scissor



Specifications:

Model No.	Free Speed	Capacity (Thickness)
MATGP - 0662	2,500 Stroke / min	1.6 mm (St)
MATGP - 2180	2,500 Stroke / min	1.0 mm (St)
MATGP - 1420	2,500 Stroke / min	1.6 mm (St)
MATGP - 2181	2,500 Stroke / min	1.2 mm (St)

Features:

- Cutting Capacity Steel 1.2 mm
- Built-in Comfort Grip
- Variable Speed Trigger
- Rear Exhaust



► Operation of Air Metal Shear

MATSM- 28-7063

Air Metal Shear



MATSM- 2945

Air Metal Shear



Specifications:

Model No.	Free Speed (RPM)	Cutting Capacity Steel (mm)	Air Inlet (NPT)	Hose Size ID Inch (mm)	Air Consumption CFM (L/Min)	Length Inch (mm)	Weight Lbs (Kg)
MATSM-28-7063	2,600	1.2	1/4"	3/8 (10)	4 (113)	8-1/2 (217)	2.9 (1.3)
MATSM-2945	2,600	1.2	1/4"	3/8 (10)	4 (113)	8-1/2 (217)	3 (1.4)

* Recommended Air Pressure at 90 PSI (6.2 Bar)

Buy Online: www.matshoppy.com

MATSG-0822

Air Body Saw



SA-24S

24 Teeth Saw Blade for SG-0822 (Optional)

SA-32S

32 Teeth Saw Blade for SG-0822 (Optional)

MATSG-0827

Air Body Saw & Filer



MATSG-0828

Air Body Saw
- with Exhaust Hose



MATSG-0829

Air Body Saw



MATSG-0829H

Air Pipe Saw
- with Exhaust Hose



MATSG-0831

Air Body Saw
- Composite
- Vibration Reduced



MATSG-0832

Air Pipe Saw
- Composite
- Vibration Reduced



Specifications:

Model No.	Strokes Per Minute	Stroke Length (mm)	Air Inlet (NPT)	Hose Size ID Inch (mm)	Air Consumption CFM (L/Min)	Length Inch (mm)	Weight Lbs (Kg)
MATSG-0822	9,000	10	1/4"	3/8 (10)	4 (113)	9-1/4 (235)	1.2 (0.5)
MATSG-0827	8,000	10	1/4"	3/8 (10)	6 (150)	39-1/2 (1,003)	1.9 (0.7)
MATSG-0828	5,000	10	1/4"	3/8 (10)	4 (113)	9-7/8 (249)	2.4 (1.1)
MATSG-0829	9,000	10	1/4"	3/8 (10)	4 (113)	10-3/8 (263)	1.5 (0.7)
MATSG-0829H	9,000	10	1/4"	3/8 (10)	4 (113)	10-3/8 (263)	1.5 (0.7)
MATSG-0831	9,500	10	1/4"	3/8 (10)	3 (90)	11-13/16 (300)	1.1 (0.5)
MATSG-0832	5,000	25	1/4"	3/8 (10)	2.8 (80)	13-1/2 (343)	1.7 (0.8)

* Recommended Air Pressure at 90 PSI (6.2 Bar)

Buy Online: www.matshoppy.com

MATGP - 0822

Air Body Saw



MATGP - 0822S

Air Body Saw



MATGP - 0824

Air Body Saw



MATGP - 0821S

Air Body Saw File



MATGP - 0826H

Air Body Saw



MATGP - 0828H

Air File



Specifications:

Model No.	Free Speed (bpm)	Capacity	Exhaust	Stroke	Weight (Kg)
MATGP - 0822	9,000	1.6 mm	Front	-	-
MATGP - 0822S	9,000	1.5 mm	Front	-	-
MATGP - 0824	9,000	1.5 mm	Rear	-	-
MATGP - 0821S	9,500	3.1 mm	Rear	11 mm	0.9
MATGP - 0826H	5,000	1.5 mm	Rear	10 mm	1.3
MATGP - 0828H	3,400	-	-	5 mm	0.52

* Recommended Air Pressure at 90 PSI (6.2 Bar)

Buy Online: www.matshoppy.com

MATGP - 0525

Air Window Cutter, Stroke ARC : 3"




MATGP - 0527

Air Window Cutter, Stroke ARC : 3"




MATGP - 0635

Air Nibbler, Pull Type



MATGP - 0637

Air Nibbler, Pull Type



Specifications:

Model No.	Free Speed	Capacity	Cutting Speed
MATGP - 0525	20,000 Cycles / min	-	-
MATGP - 0527	20,000 Cycles / min	-	-
MATGP - 0635	-	1.2 mm (St)	2.6 mpm
MATGP - 0637	-	1.2 mm (St)	2.6 mpm

MATGP - 0825

Air File

**Accessories
(Optional):**



SA-0825S
4 pcs File Set



Specifications:

Model No.	Stroke Speed (cycles/Min.)	Max. Shank Dia. of Points	Stroke Length (mm)	Hose Size ID Inch (mm)	Air Consumption CFM (L/Min)	Length Inch (mm)	Weight Lbs (Kg)
MATSG-0825	3,700	1/4"	9	3/8 (10)	8.5 (216)	7 (180)	2.2 (1)

* Recommended Air Pressure at 90 PSI (6.2 Bar)

Buy Online: www.matshoppy.com

MATSM-204S

Straight Air Shear



MATSM-204

Air Shear



Specifications:

Model No.	Free Speed (RPM)	Cutting Capacity Steel (Gauge)	Air Inlet (NPT)	Hose Size ID Inch (mm)	Air Consumption CFM (L/Min)	Length Inch (mm)	Weight Lbs (Kg)
MATSM-204S	2,600	18	1/4"	3/8 (10)	4 (113)	10-1/16 (256)	2.2 (1)
MATSM-204	2,600	18	1/4"	3/8 (10)	4 (113)	9-1/16 (230)	2.9 (1.3)

MATSM-213

Air Nibbler
- Pull Type



Specifications:

Model No.	Capacity Steel (mm)	Cutting Speed (MPM)	Air Inlet (NPT)	Hose Size ID Inch (mm)	Air Consumption CFM (L/Min)	Length Inch (mm)	Weight Lbs (Kg)
MATSM-204	1.2	2.6	1/4"	3/8 (10)	4 (113)	6-15/16 (176)	2 (0.9)

* Recommended Air Pressure at 90 PSI (6.2 Bar)

Buy Online: www.matshoppy.com

MATGP - 0516W

Cut - Off Tool



MATGP - 0589SW

Cut - Off Tool



MATGP - 0536

5" Wire Brush Tool



Spindle : 3/8" x 24 UNF
Wire Brush Cap : 125 x 127 x 15 mmT

MATGP - 0827

7-1/4" Circular Saw



Max Cutting Depth : 60 mm
45° Cutting Depth : 42 mm
Saw Blade : 185 x 1.25 x 16 mm

Specifications:

Model No.	Free Speed (bpm)	Capacity (Thickness)	Punch Dia	Disc Size
MATGP - 0516W	20,000	-	-	76 mm
MATGP - 0589SW	20,000	-	-	76 mm
MATGP - 0536	5,000	-	-	-

* Recommended Air Pressure at 90 PSI (6.2 Bar)

Buy Online: www.matshoppy.com

MATSM-518 & MATSM - 519

Auto Window Cut-Off Knife

Accessories (Optional):

- #51851 2-1/4" Blade (57 mm)
- #51854 3-1/2" Blade (90 mm)
- #51852 1-3/8" Short Blade (35 mm)
- #51853 1-1/4" Curved Blade (30 mm)
- #51860 5/16" Scraper Blade (8 mm)
- #51861 1-3/8" Serrated Blade (35 mm)
- #51862 1-3/8" Blade (35 mm)
- #51855 3/4" Blade (18 mm)
- #51857 1-1/2" Blade (36 mm)
- #51858 2-1/2" Blade (63 mm)
- #51859 3-1/2" Blade (90 mm)



#51851
2-1/4" Blade (57mm)



#51854
3-1/2" Blade (90mm)



#51852
1-3/8" Short Blade (35mm)



#51853
1-1/4" Curved Blade (30mm)



#51860
5/16" Scraper Blade (8mm)




#51861
1-3/8" Serrated Blade (35mm)




#51862
1-3/8" Blade (35mm)




#51855
3/4" Blade (18mm)



#51857
1-1/2" Blade (36mm)



#51858
2-1/2" Blade (63mm)



#51859
3-1/2" Blade (90mm)



MATSM-518

Auto Window Cut-Off Knife



MATSM-519

Auto Window Cut-Off Knife

Specifications:

Model No.	Oscillation (Cycles) Per Min.	Stroke Arc.	Air Inlet (NPT)	Hose Size ID Inch (mm)	Air Consumption CFM (L/Min)	Length Inch (mm)	Weight Lbs (Kg)
MATSM-518	20,000	3 °	1/4"	3/8 (10)	4 (113)	7-9/16 (192)	2.25 (1)
MATSM-519	20,000	3 °	1/4"	3/8 (10)	4 (113)	7-9/16 (192)	2.7 (1.2)

Punches

MATGP-0692

Air Punch / Flange Tool - 5mm



MATGP-0693

Air Punch / Flange Tool - 8mm



Specifications:

Model No.	Capacity Steel (mm)	Punch (mm)	Flange Width (mm)	Hose Size ID Inch (mm)	Air Consumption CFM (L/Min)	Length Inch (mm)	Weight Lbs (Kg)
MATGP-0692	0.8-1.4	5.0	12	3/8 (10)	4 (113)	10 (254)	2.9 (1.3)
MATGP-0693	0.8-1.4	8.0	12	3/8 (10)	4 (113)	10 (254)	3.1 (1.4)

* Recommended Air Pressure at 90 PSI (6.2 Bar)

Buy Online: www.matshoppy.com

Accessories (Optional):



G-102

Quick Change Retainer

MATSG-0101R

Short Air Hammer
- Round Shank



MATSG-0102R

135 mm Air Hammer
- Round Shank



MATSG-0204R

Medium Air Hammer
- Round Shank



MATSAG-0304R

Long Air Hammer
- Round Shank



MATSG-0204PSR

Medium Air Hammer Kit



MATSG-0304PSR

Long Air Hammer Kit



In Blow Molded Case Complete with:

- 1 pc MSG-0204R Medium Air Hammer (Round Shank)
- 5 pc Chisel 5"
- 1 pc Oiler (Optional)
- 1 pc Blow Case

In Blow Molded Case Complete with:

- 1 pc MSG-0304R Medium Air Hammer (Round Shank)
- 5 pc Chisel 7"
- 1 pc Oiler (Optional)
- 1 pc Blow Case

Specifications :

Model No.	Bore Size	Blows Per Minute	Stroke length Inch (mm)	Shank Opening Inch (mm)	Air Inlet (NPT)	Hose Size ID Inch (mm)	Air Consumption CFM (L/Min)	Overall Length Inch (mm)	Weight Lbs (Kg)
MATSG-0101R	3/4"	5,000	1-5/8 (41)	0.401 (10.2)	1/4"	3/8 (10)	4 (113)	5-1/4 (133)	3 (1.4)
MATSG-0101H	3/4"	5,000	1-5/8 (41)	0.41 (10.4)	1/4"	3/8 (10)	4 (113)	5-1/4 (133)	3 (1.4)
MATSG-0102R	3/4"	4,500	1-5/8 (41)	0.401 (10.2)	1/4"	3/8 (10)	4 (113)	5-3/4 (150)	3.3 (1.5)
MATSG-0102H	3/4"	4,500	1-5/8 (41)	10mm or 11mm	1/4"	3/8 (10)	4 (113)	5-3/4 (150)	3.3 (1.5)
MATSG-0204R	3/4"	3,200	2-5/8 (67)	0.401 (10.2)	1/4"	3/8 (10)	4 (113)	6-3/4 (171)	3.5 (1.6)
MATSG-0204H	3/4"	3,200	2-5/8 (67)	0.41 (10.4)	1/4"	3/8 (10)	4 (113)	6-3/4 (171)	3.5 (1.6)
MATSG-0304R	3/4"	2,000	3-1/2 (89)	0.401 (10.2)	1/4"	3/8 (10)	4 (113)	9 (229)	4 (1.9)
MATSG-0304H	3/4"	2,000	3-1/2 (89)	0.41 (10.4)	1/4"	3/8 (10)	4 (113)	9 (229)	4 (1.9)

* Recommended Air Pressure at 90 PSI (6.2 Bar)

Buy Online: www.matshoppy.com

MATGP - 0215

Riveting Hammer (1X)



MATGP - 0221

Riveting Hammer (1X)



Specifications:

Model No.	Free Speed	Air Consumption L / min	Capacity	Bore x Stroke	Shank Opening
MATGP - 0215	2,850 (bpm)	300	2.4 st / 3.2 Al	14.3 x 3.5 mm	10.2 mm
MATGP - 0221	2,850 (bpm)	300	2.4 st / 3.2 Al	14.3 x 3.5 mm	10.2 mm

MATGP - 0216 / 0217 / 0218

Riveting Hammer (2X, 3X, 4X)



MATGP - 0222 / 0223 / 0224

Riveting Hammer (2X, 3X, 4X)



Specifications:

Model No.	Free Speed	Capacity	Air Consumption L / min	Bore x Stroke	Shank Opening
MATGP - 0216	2,600 (bpm)	2.4 st / 3.2 Al	350	12.7 x 57.2 mm	10.2 mm
MATGP - 0217	2,200 (bpm)	4.0 st / 4.8 Al	350	12.7 x 73 mm	10.2 mm
MATGP - 0218	1,800 (bpm)	4.8 st / 6.4 Al	350	12.7 x 77.8 mm	10.2 mm
MATGP - 0222	2,580 (bpm)	2.4 st / 3.2 Al	350	12.7 x 57.2 mm	10.2 mm
MATGP - 0223	2,160 (bpm)	4.0 st / 4.8 Al	350	12.7 x 73 mm	10.2 mm
MATGP - 0224	1,740 (bpm)	4.8 st / 6.4 Al	350	12.7 x 77.8 mm	10.2 mm

* Recommended Air Pressure at 90 PSI (6.2 Bar)

Buy Online: www.matshoppy.com

MATGP - 0206 / 0207 / 0208

Riveting Hammer (5X, 7X, 9X)



Specifications:

Model No.	Free Speed	Capacity	Air Consumption L / min	Bore x Stroke	Shank Opening
MATGP - 0206	1,560 (bpm)	4.8 st / 6.4 Al	450	19.1 x 68.3 mm	12.65 mm
MATGP - 0207	1,140 (bpm)	6.4 st / 7.9 Al	450	19.1 x 98.4 mm	12.65 mm
MATGP - 0208	900 (bpm)	6.4 st / 9.5 Al	450	19.1 x 147.6 mm	12.65 mm

MATGP - 0220

Riveting Hammer



MATGP - 0580

Engraving Stylus



MATGP - 0581

Engraving Stylus



Specifications:

Model No.	Free Speed	Stroke	Air Consumption L / min	Working Pressure	Length	Weight (Kg)
MATGP - 0220	5,400 (bpm)	31 mm	77	-	-	0.4
MATGP - 0580	34,000 (bpm)	1.2 mm	-	-	150 mm	0.22
MATGP - 0581	3,500 (bpm)	-	-	60 psi ~ 90 psi (4 bar ~ 6.2 bar)	160 mm	0.19

* Recommended Air Pressure at 90 PSI (6.2 Bar)

Buy Online: www.matshoppy.com

MATGP - 0214H-B

190 mm Air Hammer



MATGP - 0314H-B

250 mm Air Hammer



Specifications:

Model No.	Free Speed	Stroke	Air Consumption L / min	Weight (Kg)
MATGP - 0214H-B	3,000 (bpm)	66 mm	157	1.9
MATGP - 0314H-B	2,200 (bpm)	92 mm	157	2.1

MATGP - 0102H

150 mm Air Hammer



MATGP - 0248H

190 mm Air Hammer



Specifications:

Model No.	Free Speed	Stroke	Air Consumption L / min	Weight (Kg)
MATGP - 0102H	4,500 (bpm)	41 mm	157	1.3
MATGP - 0248H	3,000 (bpm)	66 mm	157	1.8
MATGP - 0303H	2,200 (bpm)	92 mm	157	2.1

* Recommended Air Pressure at 90 PSI (6.2 Bar)

Buy Online: www.matshoppy.com

MATGP - 0317

Air Needle Scaler



MATGP - 0320

Air Flux Chipper



MATGP - 0316X

Air Needle Scaler



MATGP - 0312X

Air Flux Chipper



Specifications:

Model No.	Free Speed (rpm)	Length	Needle Size	Stroke	Weight (Kg)
MATGP - 0317	4,800	290 mm	3 x 125 mm x 12 pcs	-	1.2
MATGP - 0320	4,800	290 mm	-	16 mm	1.2
MATGP - 0316X	4,400	410 mm	3 x 180 mm x 19 pcs	-	2.8
MATGP - 0312X	4,400	330 mm	-	-	2.5

* Recommended Air Pressure at 90 PSI (6.2 Bar)

Buy Online: www.matshoppy.com

MATGP - 0111

Chipping Hammers



MATGP - 0121 / 0131 / 0141

Chipping Hammers



Specifications:

Model No.	Chisel Shank Hex	Chisel Shank Round	Free Speed (bpm)	Piston Dia (mm)	Stroke	Avg Air Consumption (L/min)	Sound Pressure Level	Air Inlet	Sound Power Level	Weight (Kg)
MATGP - 0111	12	14	2,400	46 mm	-	480	-	-	-	5.4
MATGP - 0121	14.7 x 60 mm	17.3 x 60 mm	2,400	28.6 mm	77 mm	960	94 dBA	3/8"	106 dBA	7.9
MATGP - 0131	14.7 x 60 mm	17.3 x 60 mm	1,920	28.6 mm	94 mm	940	94 dBA	3/8"	106 dBA	8.4
MATGP - 0141	14.7 x 60 mm	17.3 x 60 mm	1,500	28.6 mm	102 mm	860	94 dBA	3/8"	106 dBA	9.0

MATGP - 0109 / 0119 / 0120 / 0130

(Spring Retainer)



MATGP - 0109S

(Quick Change Type)



Specifications:

Model No.	Chisel Shank Hex	Chisel Shank Round	Free Speed (bpm)	Piston Dia (mm)	Stroke	Avg Air Consumption (L/min)	Sound Pressure Level	Air Inlet	Sound Power Level	Weight (Kg)
MATGP - 0109	12 x 46 mm	14 x 46 mm	3,000	28.6 mm	45 mm	400	92 dBA	-	104 dBA	2.6
MATGP - 0119	14.7 x 60 mm	17.3 x 60 mm	2,820	28.6 mm	25.4 mm	600	91 dBA	3/8"	103 dBA	5.5
MATGP - 0120	14.7 x 60 mm	17.3 x 60 mm	2,400	28.6 mm	51 mm	600	93 dBA	3/8"	105 dBA	5.9
MATGP - 0130	14.7 x 60 mm	17.3 x 60 mm	1,920	28.6 mm	76 mm	700	93 dBA	3/8"	105 dBA	6.5

* Recommended Air Pressure at 90 PSI (6.2 Bar)

Buy Online: www.matshoppy.com

Features:

- Double Suction Pads for Secure Grip.
- Standard With Ratchet Tie Bown for One Person Auto Glass Repair.
- Can Be Used on Glass, Appliance, Steel, Aluminium, etc,
- Each Double Pad Handle Can Lift Approximatly 240 Lbs.

MATSM-911

Double Suction Cup
- Plastic Cup



MATSM-911K

Double Suction Cup Kit with Strap
- Plastic Cup



MATSM-911KNH

Double Suction Cup Kit without Strap
- Plastic Cup

MATSM-9111

Double Suction Cup
- Big Plastic Cup



MATSM-9111K

Double Suction Cup Kit with Strap
- Big Plastic Cup



Other Tools & Accessories



MATSG-700 - 14
1/4" Air Clean Unit
MATSG-700 - 38
3/8" Air Clean Unit
MATSG-700 - 12
1/2" Air Clean Unit



MATSB-2021
1/4" Air Filter Regulator
MATSB-2031
3/8" Air Filter Regulator
MATSB-2041
1/2" Air Filter Regulator




MATSB-1221
1/4" Air Regulator
MATSB-1231
3/8" Air Regulator
MATSB-1241
1/2" Air Regulator



MATSB-1121
1/4" Air Filter
MATSB-1131
3/8" Air Filter
MATSB-1141
1/2" Air Filter


MATGP - 1064 | 1064 - 2 | - 4 | - 8 | - 10

1", 2", 4", 8", 10 " Air Blower




MATGP - 1063 | 1063 - 2 | - 4 | - 8 | - 10

1", 2", 4", 8", 10 " Air Blower



MATGP - 1066 - 4 | - 10 | - 13 | - 20

4", 10", 13", 20" Air Blower



MATGP - 1080 - R

Pocket Blow Gun, Europe Type



MATGP - 1077

High Volume Blow Gun



MATGP - 1063K6

21 Pcs Air Blow Gun Kit



MATG - 163R - 2 \ 163R-3

2", 3" CNS Disc, Roloc Type


MATG - 164R - 21

2" Disc # 80

MATG - 164R - 31

3" Disc # 80

MATG - 164R - 22

2" Disc # 150

MATG - 164R - 32

3" Disc # 150

MATG - 164R - 23

2" Disc # 300

MATG - 164R - 33

3" Disc # 300


MATG - 168R - 2 \ 3

2", 3" Sanding Paper, Roloc Type


MATG - 168R - TK62

2" Sanding Paper Kit


MATG - 164R - TK62

2" Surface Conditioning Disc Kit


MATG - 160TR - M6

2" Backing Pad W / Mandrel 6 mm

MATG - 160TR

2" Backing Pad W / O Mandrel

MATG - 162TR - M6

2" Backing Pad W / Mandrel 6 mm

MATG - 162TR

2" Backing Pad W / O Mandrel


MATG - 170

Single Suction Pad


MATG - 171

Adjustable Suction Twin Pad


MATG - 172

Suction Twin Pad


MATG - 173

Suction Twin Pad Set



MATG - 118

1/4" Air Regulator (Brass)



MATG - 119

1/4" Mini Air Regulator



MATG - 301A

1/4" Inline Oiler (AL)



MATG - 132X - 2

1/4" Swivel Adaptor



Features:

- Smooth Rotating
- No Air Leakage
- Durable & Compact Design
- Less than 5 % Pressure Drop

MATG - 133X - 2

1/4" Swivel Adaptor W / Regulator



Features:

- Smooth Rotating
- No Air Leakage
- Durable & Compact Design
- Less than 5 % Pressure Drop

MATG - 520B3K

1/2" Cr - Mo Socket Set



Include:

- 1 x G - 520B17 (17 mm)
- 1 x G - 520B19 (19 mm)
- 1 x G - 520B21 (21 mm)
- 1 x Blow Case

MATG - 520B4K

1/2" Cr - Mo Socket set



Include:

- 1 x G - 520B17 (17 mm)
- 1 x G - 520B19 (19 mm)
- 1 x G - 520B21 (21 mm)
- 1 x G - 520B22 (22 mm)
- 1 x Blow Case

MATG - 533 | 534 | 535 | 536 | 537 | 538

Adaptors



Female
Drive : 3/8", 1/2", 1/2", 3/4", 3/4", 1"
Male
Drive : 1/2", 3/8", 3/4", 1/2", 1", 3/4"
Outside
Diameter : 23, 26, 30, 40, 40, 52 (mm)
Overall
Length : 36, 38, 48, 58, 63, 80 (mm)

MATG - 544 | 544-1 | 545 | 545-1 | 546 | 546 - 1

Adaptors



Female
Drive : 1/2", 1/2", 3/4", 3/4", 1", 1"
Male
Drive : 1/2", 1/2", 3/4", 3/4", 1", 1"
Outside
Diameter : 25, 25, 40, 40, 52, 52 (mm)
Overall
Length : 75, 125, 100, 175, 100, 175 (mm)

* Recommended Air Pressure at 90 PSI (6.2 Bar)

Buy Online: www.matshoppy.com

MATG - 2162

2 - Way Swivel Coupler set

MATG - 2162A

NITTO One Touch Type



MATG - 2163

3 - Way Swivel Coupler set

MATG - 2163A

NITTO One Touch Type



MATG - 2170

2 - Way Coupler set

MATG - 2170A

NITTO One Touch Type



MATG - 2172

3 - Way Coupler set

MATG - 2172A

NITTO One Touch Type



MATG - 2148

3 - Way Coupler set

MATG - 2148A

NITTO One Touch Type



MATG - 2149

4 - Way Coupler set

MATG - 2149A

NITTO One Touch Type



MATG - 2150

5 - Way Coupler set

MATG - 2150A

NITTO One Touch Type



MATG - 2152

6 - Way Coupler set

MATG - 2152A

NITTO One Touch Type



Specifications:

Couplers			NITTO Series (Steel)		Germany Type (Steel)	ARO Type (Steel)
			Normal Type	One Touch Type		
	1/4"	Female Plug	SF20	SF20A	RSF20	ASF20
	3/8"	Female Plug	SF30	SF30A	RSF30	ASF30
	1/2"	Female Plug	SF40	SF40A	RSF40	ASF40
	1/4"	Male Plug	SM20	SM20A	RSM20	ASM20
	3/8"	Male Plug	SM30	SM30A	RSM30	ASM30
	1/2"	Male Plug	SM40	SM40A	RSM40	ASM40
	1/4"	Hose Plug	SH20	SH20A	RSH20	ASH20
	5/16"	Hose Plug	SH25	SH25A	RSH25	ASH25
	3/8"	Hose Plug	SH30	SH30A	RSH30	ASH30
	1/2"	Hose Plug	SH40	SH40A	RSH40	ASH40
	5 x 8mm	PU Hose Plug	SP20	SP20A	RSP20	ASP20
	6.5 x 10mm	PU Hose Plug	SP30	SP30A	RSP30	ASP30
	8 x 12mm	PU Hose Plug	SP40	SP40A	RSP40	ASP40

* Recommended Air Pressure at 90 PSI (6.2 Bar)

Buy Online: www.matshoppy.com

JAPAN TYPE

PF20S

PF30S

PF40S



PM20S

PM30S

PM40S



PP20S

PP30S

PP40S



PH20S

PH30S

PH40S



GERMANY TYPE

RPF20S

RPF30S

RPF40S



RPM20S

RPM30S

RPM40S



RPP20S

RPP30S

RPP40S



RPH20S

RPH30S

RPH40S



ARO TYPE

APF20S

APF30S

APF40S



APM20S

APM30S

APM40S



APP20S

APP30S

APP40S



APH20S

APH30S

APH40S



Specifications:

Description		NITTO Series (Steel)		Germany Series (Steel)		ARO Series (Steel)	
		Swivel Type	Non - Swivel Type	Swivel Type	Non - Swivel Type	Swivel Type	Non - Swivel Type
1/4"	Female Plug	PF20S	PF20	RPF20S	RPF20	APF20S	APF20
3/8"	Female Plug	PF30S	PF30	RPF30S	RPF30	APF30S	APF30
1/2"	Female Plug	PF40S	PF40	RPF40S	RPF40	APF40S	APF40
1/4"	Male Plug	PM20S	PM20	RPM20S	RPM20	APM20S	APM20
3/8"	Male Plug	PM30S	PM30	RPM30S	RPM30	APM30S	APM30
1/2"	Male Plug	PM204	PM40	RPM40S	RPM40	APM40S	APM40
1/4"	Hose Plug	PH20S	PH20	RPH20S	RPH20	APH20S	APH20
5/16"	Hose Plug	PH25S	PH25	RPH25S	RPH25	APH25S	APH25
3/8"	Hose Plug	PH30S	PH30	RPH30S	RPH30	APH30S	APH30
1/2"	Hose Plug	PH40S	PH40	RPH40S	RPH40	APH40S	APH40
5 x 8mm	PU Hose Plug	PP20S	PP20	RPP20S	RPP20	APP20S	APP20
6.5 x 10mm	PU Hose Plug	PP30S	PP30	RPP30S	RPP30	APP30S	APP30
8 x 12mm	PU Hose Plug	PP40S	PP40	RPP40S	RPP40	APP40S	APP40

* Recommended Air Pressure at 90 PSI (6.2 Bar)

Buy Online: www.matshoppy.com

MATGP - 1222

Two Way Gun



MATGP - 0164

Mini Hand Nailer

MATGP - 0165 - 5

Air Hand Nailer



MATGP - 0855

Air Dent Puller



MATGP - 1222K

Two Way Gun Kit



MATG - 740 - 1

(1/8" Manual Drain)



MATG - 740 - 2

(1/4" Manual Drain)

Specifications:

Model No.	Speed	Guide Dia	Cap (L)	Weight (Kg)
MATGP - 0164	1000 bpm	8.9 mm	89 mm	0.35
MATGP - 0165 - M	1000 bpm	10.7 mm	102 mm	1.1

* Recommended Air Pressure at 90 PSI (6.2 Bar)

Buy Online: www.matshoppy.com

MATOP - SB01
MATOP - SB02
MATOP - SB03



Specifications:

Model No.	Max Suspending Capacity	Max Stroke	Net Weight
	KG	cm	Kg
MATOP - SB01	0.5 - 1.2	160	0.56
MATOP - SB02	1.0 - 2.0	160	0.56
MATOP - SB03	2.0 ~ 3.0	160	0.56

MATOP - CM - 50

Air Caulking Gun



Include :

- Plastic gun size : 215 ~ 240mm
- Air Pressure : 3 Kg/ cm² (45 psi)
- Length : 280 mm
- Weight : 0.53 kg

MATOP - 999

Pneumatic motor oil (550ml)



MATGP - 0802L

Compression Riveter



MATGP - 0802M

Compression Riveter



Specifications:

Model No.	Rivet Capacity	Standard Yoke	Max Force at 6.2 bar	Set Holder	Overall Length	Weight (Kg)
MATGP - 0802L	3.17 mm (1/8" Alum) 2.36 mm (3/32" Steel)	76.2 mm (3" Depth) 17.45 mm (1-1/16") Depth	3,000 psi (13.35 KN)	14.27 mm (9/16") max travel 1.57 mm (1/16") Stroke	260 mm	2.04
MATGP - 0802M	3.17 mm (1/8" Alum) 2.36 mm (3/32" Steel)	63.5 mm (2.5" Depth) 17.45 mm (1-1/16") Depth	3,000 psi (13.35 KN)	14.27 mm (9/16") max travel 1.57 mm (1/16") Stroke	260 mm	2.04

Sand Blaster Gun

MATGP - 1083A

Stand Blaster Gun



MATGP - 1069

Recycling Sand Blaster Kit



MATGP - 1068

Stand Blaster Kit



MATGP - 1068S

Stand Blaster Kit



* Recommended Air Pressure at 90 PSI (6.2 Bar)

Buy Online: www.matshoppy.com

Wheel Bolt Cleaner Kit



Features:

- Free Speed 1,800 R.P.M.
- Cleaning Tool for Rust & Dirt of
- Heavy Vehicle's Wheel
- For Precise Fastening Torque Control

Improvement in Efficiency with Wheel Bolt Cleaner



MATSM-88-7251WB

Wheel Bolt Cleaner Kit



Driver retainer for quick accessories change



Wire Brushes (For Outer Nuts & Inside of Inner Nuts)

Bolt Hole Cleaner



BM-203713-11
M20 (Optional)

BM-223713-11
M22

BM-243713-11
M24

BM-306013-11
M30

BM-306017-11
M30 (Optional)

Screw Cleaners (For Inner Nut, Inner Bolt, Hub Bolt)




SA-BM-2037-0011
M20

SA-BM-2237-0013
M22

SA-BM-2437-0015
M24

SA-BM-3060-0018
M30

A Part Applies Oil



Please apply the oil to the thread after cleaning

Road trucking vehicle law has been amended in order to avoid the accident by run off the tire.

(Inspection when mounting wheels)



* Recommended Air Pressure at 90 PSI (6.2 Bar)

Buy Online: www.matshoppy.com

MATGP - 0661SW

Air Tire Buffer



MATGP - 0666W

Air Tire Buffer



MATGP - 0669W

Air Tire Buffer



MATGP - 0675W

Air Tire Buffer



MATGP - 0676W

Air Tire Buffer



Specifications:

Model No.	Free Speed (rpm)	Power	Exhaust
MATGP - 0661SW	2,500	0.45 HP (0.34 KW)	Rear
MATGP - 0666W	4,500	0.45 HP (0.34 KW)	Rear
MATGP - 0669W	4,500	0.45 HP (0.34 KW)	Rear
MATGP - 0675W	2,500	0.45 HP (0.34 KW)	Rear
MATGP - 0676W	4,000	0.45 HP (0.34 KW)	Rear

* Recommended Air Pressure at 90 PSI (6.2 Bar)

Buy Online: www.matshoppy.com

MATGP - 2733

Air Tire Buffer



MATGP - 2733X

Air Tire Buffer



MATGP - 2734

Air Tire Buffer



MATGP - 2734X

Air Tire Buffer



Specifications:

Model No.	Variable Speed (rpm)	Power	Noise Level	Exhaust	Composite Housing
MATGP - 2733	0 ~ 2,500	0.5 HP (0.37 KW)	80 dBA	Rear	Steel Tube
MATGP - 2733X	0 ~ 2,500	0.55 HP (0.41 KW)	80 dBA	Rear	Steel Tube
MATGP - 2734	0 ~ 4,000	0.5 HP (0.37 KW)	80 dBA	Rear	Steel Tube
MATGP - 2734X	0 ~ 4,000	0.55 HP (0.41 KW)	80 dBA	Rear	Steel Tube

* Recommended Air Pressure at 90 PSI (6.2 Bar)

Buy Online: www.matshoppy.com

MATGP - 2735

Air Tire Buffer



MATGP - 2735X

Air Tire Buffer



MATGP - 2736

Air Tire Buffer



MATGP - 2736X

Air Tire Buffer



Specifications:

Model No.	Variable Speed (rpm)	Power	Noise Level	Exhaust	Composite Housing
MATGP - 2735	0 ~ 2,500	0.5 HP (0.37 KW)	80 dBA	Rear	Steel Tube
MATGP - 2735X	0 ~ 2,500	0.55 HP (0.41 KW)	80 dBA	Rear	Steel Tube
MATGP - 2736	0 ~ 4,000	0.5 HP (0.37 KW)	80 dBA	Rear	Steel Tube
MATGP - 2736X	0 ~ 4,000	0.5 HP (0.37 KW)	80 dBA	Rear	Steel Tube

* Recommended Air Pressure at 90 PSI (6.2 Bar)

Buy Online: www.matshoppy.com

MATGP - 2737

Extend Tire Buffer



MATGP - 2737X

Extend Tire Buffer



MATGP - 2738

Extend Tire Buffer



MATGP - 2738X

Extend Tire Buffer



Specifications:

Model No.	Variable Speed (rpm)	Power	Noise Level	Exhaust	Composite Housing
MATGP - 2737	0 ~ 2,500	0.5 HP (0.37 KW)	82 dBA	Rear	Steel Tube
MATGP - 2737X	0 ~ 2,500	0.55 HP (0.41 KW)	82 dBA	Rear	Steel Tube
MATGP - 2738	0 ~ 4,000	0.5 HP (0.37 KW)	82 dBA	Rear	Steel Tube
MATGP - 2738X	0 ~ 4,000	0.55 HP (0.41 KW)	82 dBA	Rear	Steel Tube

* Recommended Air Pressure at 90 PSI (6.2 Bar)

Buy Online: www.matshoppy.com

MATOP - PSLH16

Rear exhaust



MATOP - 601LC

Handle exhaust



MATOP - PS6 - G1

Handle exhaust



MATOP - PS10 - G51

Side exhaust



Specifications:

Model No.	Structure	Overall Length		Air Inlet	Free Speed	Air Consumption		Net Weight	
		mm	inch	P.T	rpm	l/min	cfm	Kg	lb
MATOP - PSLH16	Gear	270	10.6	1/4	1600	254	9	1.19	2.62
MATOP - 601LC	Clutch type	230	9.06	1/4	2700	198	7	1.3	2.87
MATOP - PS6 - G1	Gear	200	7.87	1/4	700	198	7	1.2	2.65
MATOP-PS10-G51	Gear	210	8.27	1/4	450	226	8	1.8	3.97

* Recommended Air Pressure at 90 PSI (6.2 Bar)

Buy Online: www.matshoppy.com

MATOP - PS5210

MATOP - PS5232

Handle exhaust
The type of quick - changing



MATOP - PS12 - 01

Push start
Air hydraulic rivet nut tool



Specifications:

Model No.	Structure	Overall Length		Air Inlet	Free Speed	Air Consumption		Net Weight	
		mm	inch	P.T	rpm	l/min	cfm	Kg	lb
MATOP - PSLH16	Gear	270	10.6	1/4	1600	254	9	1.19	2.62
MATOP - 601LC	Clutch type	230	9.06	1/4	2700	198	7	1.3	2.87
MATOP - PS6 - G1	Gear	200	7.87	1/4	700	198	7	1.2	2.65
MATOP-PS10-G51	Gear	210	8.27	1/4	450	226	8	1.8	3.97
MATOP-PS5232	Gear	205	8.07	1/4	3200	240	8.5	1.48	3.26
MATOP-PS5210	Gear	205	8.07	1/4	1000	226	8	1.5	3.3
MATOP -PS12 - 01	Hydraulic type	278	10.94	1/4	1200			2.5	5.51

* Recommended Air Pressure at 90 PSI (6.2 Bar)

Buy Online: www.matshoppy.com

MATOP - T107V

Vacuum type



MATOP - T107



MATOP - YS01V

MATOP - YS02V

MATOP - YS03V

Hydraulic type
Vacuum type



MATOP - YS514

MATOP - YS614

Hydraulic type



Specifications:

Model No.	Traction Power	Blind Rivet Setting Capacity	Stroke Length	Air Inlet	Overall Length		Air Consumption		Net Weight	
	LBS	For Aluminium & Steel AS	mm	P.T	mm	inch	l/min	cfm	Kg	lb
MATOP - T107V	2000	2.4, 3.2, 4, 4.8 3/32", 1/8", 5/32", 3/16"	21	1/4	340	13.38	99	3.5	1.5	3.31
MATOP - T107	2000	2.4, 3.2, 4, 4.8 3/32", 1/8", 5/32", 3/16"	21	1/4	230	9.05	99	3.5	1.4	3.09
MATOP - YS01V	1805	3.2, 4, 4.8 1/8", 5/32", 3/16"	18	1/4	320	12.59	138	4.9	1.5	3.3
MATOP - YS02V	2447	3.2, 4, 4.8, 6.4 1/8", 5/32", 3/16", 1/4"	21	1/4	320	12.59	40	1.4	1.65	3.63
MATOP - YS03V	3410	4, 4.8, 6, 6.4 5/32", 3/16", 15/64", 1/4"	26	1/4	320	12.59	50	1.8	1.75	3.85
MATOP - YS514	2680	2.4, 3.2, 4, 4.8 3/32", 1/8", 5/32", 3/16"	14	1/4	230	9.05	170	6	1.7	3.75
MATOP - YS614	4166	2.4, 3.2, 4, 4.8, 5.6, 6.4 3/32", 1/8", 5/32", 3/16", 7/32", 1/4"	19	1/4	250	9.84	99	3.5	2.2	4.85

* Recommended Air Pressure at 90 PSI (6.2 Bar)

Buy Online: www.matshoppy.com

MATGP - 0630

Air Nut Riveter



MATGP - 0632

Air Nut Riveter



MATGP - 0631

Air Nut Riveter



MATGP - 0633

Air Nut Riveter



MATT14 - 002

Hand Nut Riveter



MATGP - 0620M

Air Nut Riveter



Specifications:

Model No.	Capacity	Air Consumption	Length	Free Speed (rpm)	Structure	Weight (Kg)
MATGP - 0630	M3 ~ M8 (Round Nut) M3 ~ M6 (Hex Nut)	198 L / min	230 mm	2,500	Clutch Type	1.3
MATGP - 0632	M3 ~ M10, 1/4", 5/16", 3/8", (Round Nut) M6 ~ M8, 1/4", 5/16", (Hex Nut)	226 L / min	210 mm	450	Gear	1.8
MATGP - 0631	M3 ~ M6, 3/16", 1/4", (Round Nut) M3 ~ M5, 3/10", (Hex Nut)	198 L / min	200 mm	600	Gear	1.2
MATGP - 0633	M10, M12, 7/16" (Round Nut) M10 (Hex Nut)	226 L / min	228 mm	100	Gear	1.92
MATT14 - 002	M3, M4, M5, M6	-	-	-	-	0.8
MATGP - 0620M	M6, M8 (Round Nut)	-	210 mm	280	Gear	1.2

* Recommended Air Pressure at 90 PSI (6.2 Bar)

Buy Online: www.matshoppy.com

MATOP - SB01

10 pcs Air impact screwdriver kit



- 1PC Air Screwdriver
- 1PC Slotted 5mm x 50mm
- 2 PCS Slotted 6mm x 50mm
- 1 PC Phillips No.1 x 65mm
- 2 PCS Phillips No.2 x 65mm
- 1 PC Phillips No.2 x 100mm
- 1 PC Airinlet
- 1 PC Blow Case

MATOP - 301LA1K

9 pcs Air impact screwdriver kit



- 1PC Air Screwdriver
- 2 PCS Slotted 6mm x 50mm
- 2 PCS Phillips No.2 x 65mm
- 1 PC Phillips No.2 x 100mm
- 1 PC Airinlet
- 1 PC Oil Bot
- 1 PC Blow Case

MATOP - 304A1K

10 pcs Adjustable clutch Air Screwdriver kit.



- 1PC Air Screwdriver
- 1 PC Slotted 5mm x 50mm
- 2 PCS Phillips No.1 x 65mm
- 2 PCS Wrench
- 2 PCS Spring
- 1PC Oil Pot
- 1 PC Airinlet
- 1 PC Blow Case

MATOP - 301LCK

11 pcs Adjustable Clutch Air Screwdriver Kit



- 1PC Air Screwdriver
- 2 PCS Slotted 6mm x 50mm
- 2 PCS Phillips No.2 x 65mm
- 1 PC Phillips No.2 x 100mm
- 1 PC Airinlet
- 1 PC Blow Case
- 2 PCS Wrench
- 1PC Oil Pot

MATOP - 306SL1K

21 pcs 3/8" Air Impact Wrench Kit



- 1PC 3/8" Air Impact Wrench
- 8PCS 3/8" Socket
- 8-10-11-12-13-14-17-19mm
- 6PCS 1/4" Hex
- 4-5-6-7-8-10mm x 30mm
- 2 PCS Phillips No.2 3 x 65mm
- 1 PC Bit holder 3/8" x 1/4"
- 1 PC Blow Case
- 1 PC Air Regulator
- 1PC Oil Pot

MATOP - 101K

9 pcs 3/8" Air Drill Kit



- 1PC 3/8" Air Drill
- 2 PC Phillips No.2 x 100mm
- 2 PCS No.2 x 65mm
- 2 PCS 6mm x 50mm
- 1PC Oil Pot
- 1 PC Air Inlet
- 1 PC Pot

MATOP - 190MMK

190mm Air Hammer Kit



- 1PC 190mm Air Hammer
- Overall Length 181mm
- Airconsumption .4C.F.M
- 5 PCS 175mm Chisels
- 1 PC Blow Case
- Piston Stoke : 66mm
- B.P.M. : 3200

MATOP - 250MMK

250mm Air Hammer Kit



- 1PC 250mm Air Hammer
- Overall Length 181mm
- Airconsumption .4C.F.M
- 5 PCS 175mm Chisels
- 1 PC Blow Case
- Piston Stoke : 98mm
- B.P.M. : 2200

* Recommended Air Pressure at 90 PSI (6.2 Bar)

Buy Online: www.matshoppy.com

Tools Index

Model No.	Description	Page	Model No.	Description	Page
MATGP-100H	Needle Scaler Attachment	14	MATG-2150A	NITTO One Touch Type	32
MATG-118	1/4" Air Regulator (Brass)	31	MATG-2152	6 - Way Coupler Set	32
MATG-119	1/4" Mini Air Regulator	31	MATG-2152A	NITTO One Touch Type	32
MATG-132X-2	1/4" Swivel Adaptor	31	MATG-2162	2 - Way Swivel Coupler Set	32
MATG-133X-2	1/4" Swivel Adaptor W / Regulator	31	MATG-2162A	NITTO One Touch Type	32
MATG-160TR	2" Backing Pad W / O Mandel	30	MATG-2163	3 - Way Swivel Coupler Set	32
MATG-160TR-M6	2" Backing Pad W / Mandrel 6mm	30	MATG-2163A	NITTO One Touch Type	32
MATG-162TR	2" Backing Pad W / O Mandel	30	MATG-2170	2 - Way Swivel Coupler Set	32
MATG-162TR-M6	2" Backing Pad W / Mandrel 6mm	30	MATG-2170A	NITTO One Touch Type	32
MATG-163R-2	2" CNS Disc, Roloc Type	30	MATG-2172	3 - Way Coupler Set	32
MATG-163R-3	3" CNS Disc, Roloc Type	30	MATG-2172A	NITTO One Touch Type	32
MATG-164R-21	2" Disc #80	30	MATG-301A	1/4" Inline Oiler (AL)	31
MATG-164R-22	2" Disc #150	30	MATG-520B3K	1/2" Cr - Mo Socket Set	31
MATG-164R-23	2" Disc #300	30	MATG-520B4K	1/2" Cr - Mo Socket Set	31
MATG-164R-31	3" Disc #80	30	MATG-533	Adaptors	31
MATG-164R-32	3" Disc #150	30	MATG-534	Adaptors	31
MATG-164R-33	3" Disc #300	30	MATG-535	Adaptors	31
MATG-164R-TK62	2" Surface Conditioning Disc Kit	30	MATG-536	Adaptors	31
MATG-168R-2	2" Sanding Paper, Roloc Type	30	MATG-537	Adaptors	31
MATG-168R-3	3" Sanding Paper, Roloc Type	30	MATG-538	Adaptors	31
MATG-168R-TK62	2" Sanding Paper Kit	30	MATG-544	Adaptors	31
MATG-170	Single Suction Pad	30	MATG-544-1	Adaptors	31
MATG-171	Adjustable Suction Twin Pad	30	MATG-545	Adaptors	31
MATG-172	Suction Twin Pad	30	MATG-545-1	Adaptors	31
MATG-173	Suction Twin Pad Set	30	MATG-546	Adaptors	31
MATG-2148	3 - Way Coupler Set	32	MATG-546-1	Adaptors	31
MATG-2148A	NITTO One Touch Type	32	MATG-740-1	1/8" Manual Drain	34
MATG-2149	4 - Way Coupler Set	32	MATG-740-2	1/4" Manual Drain	34
MATG-2149A	NITTO One Touch Type	32	MATGP-0102HA	Air Needle Scaler	11
MATG-2150	5 - Way Coupler Set	32	MATGP-0106	Air Gasket Scraper	13

Model No.	Description	Page	Model No.	Description	Page
MATGP-0109	Spring Retainer	27	MATGP-0248H	190 mm Air Hammer	25
MATGP-0109S	Quick Change Type	27	MATGP-0312X	Air Flux Chipper	26
MATGP-01102H	150 mm Air Hammer	25	MATGP-0314H-B	250 mm Air Hammer	25
MATGP-0111	Chipping Hammers	27	MATGP-0315	Air Needle Scaler	10
MATGP-0119	Spring Retainer	27	MATGP-0316X	Air Needle Scaler	26
MATGP-0120	Spring Retainer	27	MATGP-0317	Air Needle Scaler	26
MATGP-0121	Chipping Hammers	27	MATGP-0318	Air Flux Chipper	10
MATGP-0130	Spring Retainer	27	MATGP-0319-4	Air Needle Scaler	12
MATGP-0131	Chipping Hammers	27	MATGP-0319A	Air Needle Scaler, Vacuum Type	14
MATGP-0141	Chipping Hammers	27	MATGP-0320	Air Flux Chipper	26
MATGP-0143	Air Gasket Scraper	13	MATGP-0321-3	Air Needle Scaler	11
MATGP-0152	Air Scalling Hammer	10	MATGP-0321A	Air Needle Scaler, Vacuum Type	14
MATGP-0153	Air Scalling Hammer	10	MATGP-0323D	Air Flux Chipper	13
MATGP-0158	Air Sand Rammer	13	MATGP-0324-4	Air Needle Scaler	12
MATGP-0164	Mini Hand Nailer	34	MATGP-0326	Air Needle Scaler	10
MATGP-0165-5	Air Hand Nailer	34	MATGP-0326A	Air Needle Scaler	14
MATGP-0206	Riveting Hammer (5x)	24	MATGP-0327	Air Flux Chipper	10
MATGP-0207	Riveting Hammer (7x)	24	MATGP-0328-3	Air Needle Scaler	14
MATGP-0208	Riveting Hammer (9x)	24	MATGP-0329	Air Flux Chipper	11
MATGP-0214HA	Air Needle Scaler	11	MATGP-0330	Air Needle Scaler	14
MATGP-0214H-B	190 mm Air Hammer	25	MATGP-0335-3	Air Needle Scaler	12
MATGP-0215	Riveting Hammer (1x)	23	MATGP-0336	Air Needle Scaler	12
MATGP-0216	Riveting Hammer (2x)	23	MATGP-0516W	Cut - Off Tool	20
MATGP-0217	Riveting Hammer (3x)	23	MATGP-0525	Air Window Cutter, Stroke ARC : 3"	18
MATGP-0218	Riveting Hammer (4x)	23	MATGP-0527	Air Window Cutter, Stroke ARC : 3"	18
MATGP-0220	Riveting Hammer	24	MATGP-0536	5" Wire Brush Tool	20
MATGP-0221	Riveting Hammer (1x)	23	MATGP-0580	Engraving Stylus	24
MATGP-0222	Riveting Hammer (2x)	23	MATGP-0581	Engraving Stylus	24
MATGP-0223	Riveting Hammer (3x)	23	MATGP-0589SW	Cut - Off Tool	20
MATGP-0224	Riveting Hammer (4x)	23	MATGP-0602M	Air Nut Riveter	45

Tools Index

Model No.	Description	Page	Model No.	Description	Page
MATGP-0603	Air Nut Riveter	45	MATGP-0837	Undercoating Gun	6
MATGP-0631	Air Nut Riveter	45	MATGP-0843	Air Grease Gun	7
MATGP-0632	Air Nut Riveter	45	MATGP-0843K	Air Grease Kit	8
MATGP-0633	Air Nut Riveter	45	MATGP-0849A	Air Grease Gun	7
MATGP-0635	Air Nibbler, Pull Type	18	MATGP-0855	Air Dent Puller	34
MATGP-0637	Air Nibbler, Pull Type	18	MATGP-0858A-13	2 in 1 Air Caulking Gun	4
MATGP-0661SW	Air Tire Buffer	38	MATGP-0861A-13	Air Sprayer & Air Caulking Gun	5
MATGP-0662	Straight Metal Shear	15	MATGP-0862B-13	3 in 1 Air Sprayer & Caulking Gun	6
MATGP-0665	Air Spot Drill	2	MATGP-0863B-15	Air Sprayer & Air Caulking Gun	5
MATGP-0665S	Air Spot Drill	2	MATGP-0864A-13	Air Caulking Gun (For Cartridge Only)	3
MATGP-0666W	Air Tire Buffer	38	MATGP-0865B-15	Air Caulking Gun (For Sachet Only)	3
MATGP-0668	Air Spot Drill	2	MATGP-0866B-15	Air Caulking Gun (For Sachet Only)	3
MATGP-0668K	Air Spot Drill Kit	2	MATGP-0867B-15	Air Caulking Gun (For Sachet Only)	4
MATGP-0669W	Air Tire Buffer	38	MATGP-0868B-15	Air Caulking Gun (For Sachet Only)	4
MATGP-0675W	Air Tire Buffer	38	MATGP-0869A-13	2 in 1 Air Caulking Gun	4
MATGP-0676W	Air Tire Buffer	38	MATGP-0870B-13	3 in 1 Air Sprayer & Caulking Gun	6
MATGP-0692	Air Punch / Flange Tool - 5mm	21	MATGP-0872	Continuous Air Grease Gun	8
MATGP-0693	Air Punch / Flange Tool - 8mm	21	MATGP-0873B-15	Air Caulking Gun Double Thread Tube	4
MATGP-0802L	Compression Riveter	36	MATGP-0874B-15	Air Caulking Gun Double Thread Tube	4
MATGP-0802M	Compression Riveter	36	MATGP-0875B-13	3 in 1 Air Sprayer & Caulking Gun	6
MATGP-0821S	Air Body Saw File	17	MATGP-0876B-13	3 in 1 Air Sprayer & Caulking Gun	6
MATGP-0822	Air Body Saw	17	MATGP-0877A-13	Air Sprayer & Air Caulking Gun	5
MATGP-0822S	Air Body Saw	17	MATGP-0878B-15	Air Sprayer & Air Caulking Gun	5
MATGP-0824	Air Body Saw	17	MATGP-0879A	Continuous Air Grease Gun	7
MATGP-0825	Air File	18	MATGP-0880A-13	2 in 1 Air Caulking Gun	3
MATGP-0826H	Air Body Saw	17	MATGP-0881A-13	2 in 1 Air Caulking Gun	3
MATGP-0827	7-1/4" Circular Saw	20	MATGP-1063	1" Air Blower	29
MATGP-0828H	Air File	17	MATGP-1063-10	10" Air Blower	29
MATGP-0835A-13	Air Caulking Gun (For Cartridge Only)	3	MATGP-1063-2	2" Air Blower	29
MATGP-0835N	Air Caulking Gun	6	MATGP-1063-4	4" Air Blower	29

* Recommended Air Pressure at 90 PSI (6.2 Bar)

Buy Online: www.matshoppy.com

Tools Index

Model No.	Description	Page	Model No.	Description	Page
MATGP-1063-8	8" Air Blower	29	MATGP-2736X	Air Tire Buffer	40
MATGP-1063K6	21 Pcs Air Blow Gun Kit	29	MATGP-2737	Extend Tire Buffer	41
MATGP-1064	1" Air Blower	29	MATGP-2737X	Extend Tire Buffer	41
MATGP-1064-10	10" Air Blower	29	MATGP-2738	Extend Tire Buffer	41
MATGP-1064-2	2" Air Blower	29	MATGP-2738X	Extend Tire Buffer	41
MATGP-1064-4	4" Air Blower	29	MATOP-101K	9 Pcs 3/8" Air Drill Kit	46
MATGP-1064-8	8" Air Blower	29	MATOP-190MMK	190mm Air Hammer Kit	46
MATGP-1066-10	10" Air Blower	29	MATOP-201	Air Nipper Tools	9
MATGP-1066-13	13" Air Blower	29	MATOP-202	Air Nipper Tools	9
MATGP-1066-20	20" Air Blower	29	MATOP-250MMK	250mm Air Hammer Kit	46
MATGP-1066-4	4" Air Blower	29	MATOP-288N	Air Needle Chipper	9
MATGP-1068	Stand Blaster Kit	36	MATOP-301LA1K	9 Pcs Air Impact Screwdriver Kit	46
MATGP-1068S	Stand Blaster Kit	36	MATOP-301LCK	Adjustable Clutch Air Screwdriver Kit	46
MATGP-1069	Recycling Sand Blaster Kit	36	MATOP-304A1K	Adjustable Clutch Air Screwdriver Kit	46
MATGP-1077	High Volume Blow Gun	29	MATOP-306SL1K	3/8" Air Impact Wrench Kit	46
MATGP-1080-R	Pocket Blow Gun, Europe Type	29	MATOP-601LC	Handle Exhaust	42
MATGP-1083A	Stand Blaster Gun	36	MATOP-999	Pneumatic Motor Oil (550ml)	35
MATGP-1222	Two Way Gun	34	MATOP-CM-50	Air Caulking Gun	35
MATGP-1222K	Two Way Kit	34	MATOP-CP1223	Air Engraving Pen	9
MATGP-1420	Metal Shear	15	MATOP-J288	Air Needle Scaler	9
MATGP-2180	Air Metal Scissor	15	MATOP-PS10-G51	Side Exhaust	42
MATGP-2181	Air Metal Scissor	15	MATOP-PS12-01	Push Start Air Hydraulic Rivet Nut Tool	43
MATGP-2673	Air Pump	8	MATOP-PS5210	Handle Exhaust	43
MATGP-2733	Air Tire Buffer	39	MATOP-PS5232	The type of quick - changing	43
MATGP-2733X	Air Tire Buffer	39	MATOP-PS6-61	Handle Exhaust	42
MATGP-2734	Air Tire Buffer	39	MATOP-PSLH16	Rear Exhaust	42
MATGP-2734X	Air Tire Buffer	39	MATOP-S105	Air Body Saw	9
MATGP-2735	Air Tire Buffer	40	MATOP-S1530	Air Shear	9
MATGP-2735X	Air Tire Buffer	40	MATOP-S7490	Air Shear	9
MATGP-2736	Air Tire Buffer	40	MATOP-SB01	Spring Baiancer	35

* Recommended Air Pressure at 90 PSI (6.2 Bar)

Buy Online: www.matshoppy.com

Model No.	Description	Page	Model No.	Description	Page
MATOP-SB01	10 Pcs Air Impact Screwdriver Kit	46	MATSG-0832	Air Pipe Saw	16
MATOP-SB02	Spring Baiancer	35	MATSG-700-12	1/2" Air Clean Unit	28
MATOP-SB03	Spring Baiancer	35	MATSG-700-14	1/4" Air Clean Unit	28
MATOP-T107V	Vacuum Type	44	MATSG-700-38	3/8" Air Clean Unit	28
MATOP-YS01V	Hydraulic Type, Vacuum Type	44	MATSM-204	Air Shear	19
MATOP-YS02V	Hydraulic Type, Vacuum Type	44	MATSM-204S	Straight Air Shear	19
MATOP-YS03V	Hydraulic Type, Vacuum Type	44	MATSM-213	Air Nibbler	19
MATOP-YS514	Hydraulic Type	44	MATSM-28-7063	Air Metal Shear	15
MATOP-YS614	Hydraulic Type	44	MATSM-2945	Air Metal Shear	15
MATSAG-0304R	Long Air Hammer - Round Shank	22	MATSM-518	Auto Window Cut - Off Knife	21
MATSB-1121	1/4" Air Filter	28	MATSM-519	Auto Window Cut - Off Knife	21
MATSB-1131	3/8" Air Filter	28	MATSM-71-7802	Spot Drill - with Enforced Level	1
MATSB-1141	1/2" Air Filter	28	MATSM-71-7802K	Spot Drill Kit	1
MATSB-1221	1/4" Air Regulator	28	MATSM-721	Spot Weld Drill	1
MATSB-1231	3/8" Air Regulator	28	MATSM-721K	Spot Weld Drill Kit	1
MATSB-1241	1/2" Air Regulator	28	MATSM-911	Double Suction Cup - Plastic Cup	28
MATSB-2021	1/4" Air Filter Regulator	28	MATSM-9111	Double Suction Cup - Big Plastic Cup	28
MATSB-2031	3/8" Air Filter Regulator	28	MATSM-9111K	Double Suction Cup Kit with Strap	28
MATSB-2041	1/2" Air Filter Regulator	28	MATSM-911K	Double Suction Cup Kit with Strap	28
MATSG-0101R	Short Air Hammer - Round Shank	22	MATSM-911KNH	Double Suction Cup Kit without Strap	28
MATSG-0102R	135mm Air Hammer - Round Shank	22	MATT01-002	Variable Stroke Hand Grease Gun	8
MATSG-0204PSR	Medium Air Hammer Kit	22	MATT01-006	Mini Grease Gun	7
MATSG-0204R	Medium Air Hammer - Round Shank	22	MATT14-002	Hand Nut Riveter	45
MATSG-0304PSR	Long Air Hammer Kit	22			
MATSG-0822	Air Body Saw	16			
MATSG-0827	Air Body Saw & Filer	16			
MATSG-0828	Air Body Saw	16			
MATSG-0829	Air Body Saw	16			
MATSG-0829H	Air Pipe Saw	16			
MATSG-0831	Air Body Saw	16			

[illegible]



MAT

MARVEL ABRASIVE TOOLS

Spot Drills Catalogue



Head Office

#64B/24, 2nd Floor, 10th Main, 42nd Cross,
4th Block, Rajajinagar, Bangalore - 560 010, Karnataka.

Email : info@marvelabrasivetools.com,

Website : www.marvelabrasivetools.com,

Contact : 91-80-23150747 / 67, 9343537540

Locations of our team presence :-

Karnataka, Tamil Nadu, Kerala,
Maharashtra, Gujarat,
Himachal Pradesh.